5/20

DART AEROSPACE LTD	Work Order:	23044
Short.		, ,
Description: Long Pin Bracket	Part Number:	D3330-41 1日
Dwg: D3330 Rev. A PAGE 9	Qty:	19 ZQ
TF05.01.17		Page 1 of 1

Step	Location	Procedure	Вул	Date	Qty
1	DC	Issue Traveler	PH-	05.04.15	20
_. 2	MV	Cut blanks: 2.500" x 1.000" x 3.00" long (+/-0.030) Material: AISI 1010-1025 or ASTM A36/A366/A569/A570 Cold Rolled Steel (M1010-B2.500x01.000) Identify for D3330-11 Batch: M(6634)	Es	05/05/02	20
3	MV	Machine as per Folio FA479 and Dwg D3330 Identify as D3330-11	SD	05.05.03	3
4	QC2	Inspect parts as they come off the CNC machine		05.65,03	
5	QC8	Second check		05,85.04	19
6	MV	Deburr	20	05.05.03	A
7	.QC5	Inspect work to Step 6	13	65.05.64	19
8	ST	Identify and Stock	CPL	05-05-04	19
9	AC	Cost / part: 17,3 Y Close W/O 17, 70		ar.ov.at	15
10	DC	Close W/O / 7, 70 Inspect Level 21	1	05.05.11	19

					//
Rev	Date	Change	·	Revised By	Approved
A	. 05.01.13	New issue		KJ/JLM	



W/O:			WORK OR	DER CHANG	ES.		0		·-
DATE STEP			PROCEDURE CHANGE		By.	Date	Qty	Approval - Mfg / Design Mgr	Approval QC Inspector
	N/A	as sham			Jedy	02.02.01		- x	% . 97
				•		· · · · · · · · · · · · · · · · · · ·		·	-

NCR:	23046	W.	ORK OR	DER NON-CONFORMANCE	(NCR)			
	-	Description of NC		Corrective Action Section B		Verification	Approval	Approval
DATE	STEP	Section A	Initial Design Mgr	Action Description Design Mgr	Sign & Date	Section C	Design Mgr	QC Inspector
05.05.04	3	operator error	Consulter	scropi destray	05050H	a. wou	praction	as:05:04
	,	Iscrap - 2500 dimension is . \$24.014 over tol.	05.05.04	OK TO USED,	9505.0th		95.05.04	J- 05.04
		·					,	
	7							C


Part No: D3330 - 13 PAR #: Fault Category: Prod/machines NCR: Yes No DQA:

NOTE: Date & initial all entries


QA: N/C Closed:



DESIGN	DRAWN BY	DART AEROSF HAWKESBURY, ONTAR	
CHECKED	APPROVED	DRAWING NO.	REV. B
T		D3330	SHEET 9 OF 9
DATE		TITLE	SCALE
05.02.26		FRAME WELDMENT	1:3



D3330-13 SHORT PIN BRACKET



D3330-11 LONG PIN BRACKET

SHOP COPY

PLITURN TO ENG INTERING

NOTES:

UNICCLITECTIED COPY

- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570, 1.000 THICK-STEEL ... (REF. DART SPEC. M1010-B1.000x02.250) MULHOU THOMOS
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

WORK ODDER

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Job Costing Report

Dart Aerospace Ltd. Hawkesbury Apr 12, 2005 02:25 pm

Work Order No : 0023044

Project Name : D3330-11 Project For : WK520

Work Order Type : Main Main WO Number :

House Part Number: D3330-11
Description: Long Pin Bracket

Manufactured : Yes

Amount Req'd: 20 Amount Done: 0

Start Date : 04-12-05 Est Finish Date : 05-15-05

Act Finish Date : 05-Drawings Reqd : No

Ok for Approval :

Approval Rec'd :

Department Code:

Burden Flags : NNNNNNN WO Status : Open

Invoice State : Not Invoiced

Invoice Date

Invoice Number :

Invoice Amount: 0.00

Order Entry No:

OE Value : 0.00

Est Mark Up : 0.000% Actual Mark Up : 0.000%

\$0 Posted to Finished Goods

			Estimated	Actual	Var. %	Posted	To Post	
	Material Cost Engineering Hours	:== : :	0.00	0.00	0.00	0.00	0.00	-
	<u> </u>	:	0.00	0.00	0.00	0.00	0.00	
0	Production Cost Packaging Hours	:	0.00	0.00	0.00	0.00	0.00	
	Packaging Cost	:	0.00	0.00	0.00	0.00	0.00	
	OverHead Hours OverHead Cost	:	0.00	0.00	0.00	0.00	0.00	
	CNC Hours	:	0.00	0.00	0.00	0.00	0.00	
	Misc. Hours	:	0.00	0.00 0.00	0.00 0.00	0.00	0.00	
	Burden	:	0.00	0.00	0.00	4		
,	Total Cost Mark up	:	0.00	0.00 0.000 0.000	0.00	.		
	Selling Cost	•	0.00	0.00				

		Estimated	Actual
Labour Hrs/Amount Done	:	0.00	0.00
Profits/(Loss)	:	0.00	0.00

DART AEROSPACE LTD	Work Order: 23,044
Description: Short P.N BRACKET	Part Number:
Inspection Dwg: D3330 Rev: 8	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X First Article X Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
3.00	1 0.036	3.030				cut size
0.625	\$ 0.010	2.635	•			CANNOT MEASON ACCORATE
D. 260	+ 0010	0.262	_			
\$ 0.594	+0.005	6.594	-			
0.625	+0.010	0622				
0-500	ID-0/0	0506	· ·			
2.25	±0.030	2.25				· ·
\$ 0.531	+0.005	0.531	_			
0.950	±0.010	0.950	_			
\$ 0.348	t0005	6348				
0.467	± 0.010	0.458	~			
1.250	+0.90	1.253				
1.00	±0030	0.999				Mpt. Thickness.
0.10x450	±0.030	0.095x45°				
d 0516	+0.005	0.516				
		-				,
				* 2		
						.هم
					ı	

						<u> </u>	
Measured by:	cn	Audited by:	20	Prototype Approval:		10	
Date:	05/05/02	Date:	05.05.03	Date:	N	11	

Rev	Date	Change	,	Revised by	Approved
Α		New Issue	4	KJ/JLM	